

Contents of Volume 36

NUMBER 1 JANUARY 1998

¹H and ¹³C NMR Assignment of a Lipopolysaccharide Obtained from the Deep Rough Mutant of <i>Escherichia coli</i> D31m4	1
P. K. AGRAWAL, C. A. BUSH, N. QURESHI AND K. TAKAYAMA	
Electrochemical and Electron Spin Resonance Investigations of some 1,2,3-Oxa- and -Thiadiazoles	8
F. STUHLMANN, D. DOMSCHKE, A. BARTL AND L. OMELKA	
Investigation of the Decomposition of Compounds Containing Azo Groups by EPR Spectroscopy	13
A. STAŠKO, K. ERETOVÁ, P. RAPTA, O. NUYKEN AND B. VOIT	
Differentiation of Regioisomers at ¹⁵N Natural Abundance Using Gradient-Enhanced ¹H/¹⁵N HMBC NMR Spectroscopy	35
P. A. MCDONNELL, A. D. GAUTHIER AND M. P. FERRO	
N-Triorganostannyl-Substituted Pyrroles and Indoles and N-Trimethylstannylcarbazole: Determination of Signs of Coupling Constants and Isotope-Induced Chemical Shifts ¹Δ^{14/15}N(¹¹⁹Sn)	39
B. WRACKMEYER, G. KEHR, H. E. MAISEL AND H. ZHOU	
ESR Parameters and Dynamic Behavior of β-Phosphorylated Nitroxide Radicals in Glycerol Solution	46
C. CHACHATY, C. MATHIEU, A. MERCIER AND P. TORDO	
²⁹Si NMR Spectra of Trimethylsilyl and tert-Butyldimethylsilyl Derivatives of Purines and Pyrimidines	55
J. SCHRAML, M. KVICALOVA, V. BLECHTA, R. REČICA, J. ROZENSKI AND P. HERDEWIJN	
Assignment of the Stereochemistry of Spiroxamine by Two-Dimensional NMR Spectroscopy and Stereoselective Chemical Synthesis	64
W. A. ETZEL, W. GAU, W. KRÄMER, U. STELZER AND J. WEISSMÜLLER	
Notes	
Benzodiazepine Analogues. Part 18—¹³C NMR Analysis of Schmidt Rearrangement Products from Flavanone Analogues	69
M. J. MPHAHLELE AND P. T. KAYE	
Complete Assignment of the ¹H and ¹³C NMR Spectra of Thioquinanthrene and Isothioquinanthrene	73
A. MASLANKIEWICZ, K. PLUTA, M. WYSZOMIRSKI, A. GOGOLL AND M. J. MAŚLANKIEWICZ	
Papers in Press, 76	

NUMBER 2 FEBRUARY 1998

Editorial	77
Methylation of Tetrakis(fod) Europate NMR Shift Reagent by S-Methyldibenzothiophenium Ion	79
T. K. GREEN, L. L. PESTERFIELD, B. RADMARD AND J. R. WHETSTINE	
¹⁵N NMR Study of Bi- and Tricyclic 1,2,3,5-Tetrazepon-4-ones	87
B. J. JEAN-CLAUDE AND C. I. WILLIAMS	
Atomic Magnetizability Tensors of Benzene and the Fluoro- and Chlorobenzenes	92
P.-O. ÅSTRAND AND K. V. MIKKELSEN	
Temperature Dependence of the Isotropic Hyperfine Coupling Constants in 1,4-Hydroquinone and 1,4-Dihydroxynaphthalene Cation Radicals	98
J. ELORANTA AND M. VUOLLE	
Optimisation of LC NMR III—Increased Signal-to-Noise Ratio Through Column Trapping	104
L. GRIFFITHS AND R. HORTON	

NMR Study of C- and N-Trimethylsilylazole Derivatives L. I. LARINA, M. S. SOROKIN, A. I. ALBANOV, V. N. ELOKHINA, N. I. PROTSUK AND V. A. LOPYREV	110
Estimation of the Spin Lattice Relaxation Time Constants of Low Molecular Weight Solutes in Dilute Complex Aqueous Solutions: Application to Urinary Metabolites J. P. MUNASINGHE, L. D. COLEBROOK, J. J. ATTARD, T. A. CARPENTER AND L. D. HALL	116
<i>Notes</i>	
Complete ^1H and ^{13}C NMR Assignments of Four Caesalpin Furanoditerpenes of <i>Caesalpinia bonducella</i> S. R. PETER, W. F. TINTO, S. MCLEAN, W. F. REYNOLDS, L.-L. TAY, M. YU AND W. R. CHAN	124
NMR Spectroscopy of ^{13}C-Enriched Polysaccharides: Application of ^{13}C-^{13}C TOCSY to Sugars of Different Configuration A. KJELLBERG, T. NISHIDA, A. WEINTRAUB AND G. WIDMALM	128
^{17}O NMR Investigation of Unsaturated Alcohols T. M. ALAM	132
A Post-processing Method for Clean-up of t_1 Noise in HMBC Spectra G. A. DOSS	135
^{17}O NMR of a Thiirene-1-oxide and Related Sulfoxides H. DAHN AND V. V. TOAN	137
^{207}Pb NMR Chemical Shifts of Aryllead Tricarboxylates J. E. H. BUSTON, T. D. W. CLARIDGE, R. G. COMPTON AND M. G. MOLONEY	140
Announcements, 145; Corrigendum, 151; Papers in Press, 152	

NUMBER 3 MARCH 1998

Editorial: A New Initiative in Polymer NMR H. GÜNTHER	153
^1H and ^{13}C NMR Spectra and Isomerism of 3-Aminoacroleins A. GÓMEZ-SÁNCHEZ, R. PARDES-LÉON AND J. CÁMPORA	154
A Nonlinear Regression Method for the Analysis of the ^1H T_2 Dispersion Curves Including Comments on the Role of Polydispersity M. A. K. WILLIAMS, R. D. KEENAN AND T. K. HALSTEAD	163
General Method of Assignment of Relative Stereochemistry in C-1 Substituted 2,4-Dimethyl-8-oxibicyclo[3.2.1]oct-6-en-3-one by ^1H and ^{13}C NMR Correlations A. M. MONTAÑA, S. RIBES, P. M. GRIMA AND F. GARCÍA	174
Transmission of Polar Substituent Effects in the Adamantane Ring System as Monitored by ^{19}F NMR W. ADCOCK AND N. A. TROUT	181
Parameter Estimation For Moisture Transport in Apples with the Aid of NMR Imaging E. VERSTREKEN, P. VAN HECKE, N. SCHEERLINCK, J. DE BAERDEMAEKER AND B. NICOLAÏ	196
Molecular Recognition. II—Discrimination of Specific and Non-specific Intermolecular Interactions by Means of Magnetic Resonance Spectroscopy M. JÄGER, P. SCHULER, H. B. STEGMANN AND A. ROCKENBAUER	205
Utilizing NMR Spectroscopy for Assessing Drug Enantiomeric Composition M. THUNHORST AND U. HOLZGRABE	211
<i>Note</i>	
Assignment of the ^1H and ^{13}C NMR Spectra of 9-Deoxy-9a-aza-9a-homoerythromycin A, 9-Deoxy-9a-aza-9a-homoerythromycin A 11,12-hydrogenborate and Azithromycin 11,12-hydrogenborate M. BAYOD-JASANADA, R. J. CARBAJO AND F. LÓPEZ-ORTIZ	217
Papers in Press, 226	

NUMBER 4 APRIL 1998

The T_1 and T_2 Relaxations of the ^{13}C Nuclei of Deuterium-Labeled Nucleosides T. V. MALTSEVA, A. FÖLDESI AND J. CHATTOPADHYAYA	227
Hydroacridines. Part 17: Stereospecific Influence of the $\text{N}^+ - \text{O}^-$ Group on $^1J_{\text{C,C}}$ Couplings in Non-aromatic Amine Oxides F. POTMISCHIL, H. HERZOG AND J. BUDDRUS	240
Effective Multiple-Solvent Suppression Scheme using the Excitation Sculpting Principle T. PARELLA, P. ADELL, F. SÁNCHEZ-FERRANDO AND A. VERGILI	245
A Phosphorus-Tin Cage Molecule with an Extremely Shielded ^{31}P Nucleus: $\text{P}_4[\text{Sn}(\text{C}_6\text{H}_5)_2]_3$ G. HECKMANN, H. BINDER AND D. BONGERT	250
Deuterium-Induced Primary and Secondary Isotope Effects on $^{13}\text{C}, \text{H}$ Coupling Constants in Halogenomethanes N. D. SERGEYEVA, N. M. SERGEYEV AND W. T. RAYNES	255
Steric Effects on Carbon-13 NMR Shifts: Carbon-Hydrogen Bond Polarization Contributions P. R. SEIDL, K. Z. LEAL, V. E. U. COSTA AND M. E. S. MOLLMANN	261
Computer-Assisted Structure Elucidation: Application of CISOC-SES to the Resonance Assignment and Structure Generation of Betulinic Acid C. PENG, G. BODENHAUSEN, S. QIU, H. H. S. FONG, N. R. FARNSWORTH, S. YUAN AND C. ZHENG	267
^{27}Al, ^{15}N, ^{13}C and ^1H NMR Spectra of the 2:1 Aluminium(III) Complexes of Some Azo Dyes A. LYČKA, P. RYS AND P. SKRABAL	279
Conformation of Renin Substrate (Angiotensinogen) in Water is Different from DMSO: a ^1H NMR and Molecular Dynamics Study A. B. PATEL, S. SRIVASTAVA, R. S. PHADKE, E. COUTINHO AND S. KAMATH	285
<i>Note</i>	
Carbon-13 NMR Spectra of Imidazole 1-Oxides. Comparison with the Parent Imidazoles J. ALCÁZAR A. DE LA HOZ AND M. BEGTRUP	296
<i>Reference Data</i>	
Complete ^{13}C and ^1H Spectral Assignments of Certain Substituted Quinoxalinones V. RAMPONT-PLACIDI, B. COSSEC, M.-T. BRONDEAU AND P. MUTZENHARDT	300
Complete Assignment of ^1H and ^{13}C NMR Spectra of Ikarisoside A and Epimedeside C W.-K. LI, P.-G. XIAO AND J.-Q. PAN	303
^1H and ^{13}C NMR Spectroscopy of Mono, Di, Tri and Tetra-Substituted Xanthenes E. G. FERNANDEZ, A. M. SILVA, J. A. CAVALEIRO, F. M. SILVA, M. F. BORGES AND M. M. PINTO	305
Book Reviews, 310; Addendum, 312; Announcement, 313; Papers in Press, 314	

NUMBER 5 MAY 1998

Tautomerism of Enolic Triacetyl methane, 2-Acyl-1,3-cycloalkanediones, 5-Acyl Meldrum's Acids and 5-Acyl-1,3-dimethylbarbituric Acids Studied by means of Deuterium Isotope Effects on ^{13}C Chemical Shifts S. BOLVIG, F. DUUS AND P. E. HANSEN	315
^1H and ^{13}C NMR Assignments and Stereochemistry of <i>d,l</i>-Isospongiadiol and Six Spongian Intermediates A. A. RIBEIRO, Z. SHEN, M. WANG, Y. ZHANG AND P. A. ZORETIC	325
Conformational Effects on ^{13}C NMR Parameters in Alkyl Formates D. G. DE KOWALEWSKI, V. J. KOWALEWSKI, R. H. CONTRERAS, E. DIEZ AND A. L. ESTEBAN	336
Tautomerism in Nitrotriazoles: Structure Investigation by Combined ^1H, ^{13}C and ^{15}N NMR Spectroscopy H. H. LICHT, H. RITTER, H. R. BIRCHER AND P. BIGLER	343

Long-Range $J(^{15}\text{N}, ^{13}\text{C})$ and $J(^{13}\text{C}, ^{13}\text{C})$ Coupling Constants via the Metal Atom in ^{13}C NMR Spectra of Square-Planar Ni(II) Complexes of the Schiff Base of (S)-2-(N-benzylpropyl)aminobenzophenone and ^{13}C-1, ^{13}C-2 or ^{15}N Labelled Glycine	351
J. JIRMAN, M. NÁDVORNÍK, J. SOPKOVÁ AND A. POPKOV	
Nitro Group Effects on the $^1J(\text{CC})$ Couplings in Nitroalkanes	356
M. WITANOWSKI, Z. BIEDRZYCKA AND K. GRELA	
Regiospecific Analysis of Natural Mixture of Triglycerides Using Quantitative ^{13}C Nuclear Magnetic Resonance of Acyl Chain Carbonyl Carbons	359
G. VLAHOV	
NMR Assignments and Conformational Studies of Two Diastereomeric Oxidation Products of 2'-Deoxycytidine	363
E. ÄMMÄLÄHTI, M. BARDET, J. CADET AND D. MOLKO	
Constitution, Stereochemistry and Conformational Behaviour of the Photoreaction Product of 7-Deacetoxy-7-oxokhivorin	371
J. I. OKOGUN, H. DUDDECK, G. HABERMEHL, H. C. KREBS, G. TÓTH AND A. SIMON	
<i>Notes</i>	
Structure of a Further Triterpene Saponin from <i>Arenaria filicaulis</i> Boiss.	376
G. TÓTH, A. SIMON, M. H. A. ELGAMAL, H. S. M. SOLIMAN, D. T. ELMUNAJJED, G. HORVATH AND H. DUDDECK	
Total Assignment of ^1H and ^{13}C Spectra of New Chlorinated Triterpenoid (Methyl 2α,2β,24-Tri-O-acetyloean-12α-chloro-28,13β-olide) by NMR Spectroscopy	381
F. J. Q. MONTE, J. P. KINTZINGER AND R. BRAZ-FILHO	
Announcement, 385; Papers in Press, 386	

NUMBER 6 JUNE 1998

^1H and ^{13}C NMR Studies of Some Steroidal Neuromuscular Blocking Drugs: Solution Conformations and Dynamics	387
L. FIELDING	
Complete Solution NMR Analysis of Three Oligoimine Model Compounds	398
L. SPENCER, W. B. EULER, D. D. TRAFICANTE, M. KIM AND W. ROSEN	
A Proposed Standard Sample for Nuclear Overhauser Effect Measurements	403
A. D. BAIN, E. P. MAZZOLA AND S. W. PAGE	
^{15}N Cross-Polarization Using Inversion-Recovery Cross-Polarization Technique and ^{11}B Magic Angle Spinning NMR Studies of Reference Compounds Containing B—N Bonds	407
C. GERVAIS, F. BABONNEAU, J. MAQUET, C. BONHOMME, D. MASSIOT, E. FRAMERY AND M. VAULTIER	
High-Resolution Solid-State Nuclear Magnetic Resonance Study of the Tetrapropylammonium Template in a Purely Siliceous MFI-Type Zeolite	415
R. GEOGEON, L. DELMOTTE, P. REINHEIMER, B. MEURER AND J. M. CHÉZEAU	
Synthesis and Stereochemistry of the Spin Adducts of a New Chiral Spin Trap, 3,5-Diphenyl-5-methylpyrroline-1-oxide	422
J. C. MATASYOH, U. ABRAM, P. SCHULER AND H. B. STEGMANN	
Configurational ^1H NMR Study of Optically Active 7-(1-Phenylethyl)-2-oxa-azabicyclo[3.2.0]heptan-6-one Derivatives Using Pirkle's Alcohols and Chiral Shift Reagent	429
G. GARCÍA-MARTÍNEZ, Y. TAGUCHI, A. OISHI AND K. HAYAMIZU	
<i>Notes</i>	
^1H and ^{13}C NMR Spectra and Structure of a Dimerization Product of Bimakalin	436
K. G. R. PACHLER	
^{13}C and ^{15}N NMR Chemical Shift Assignments of <i>N</i>-1-(2-Azidoethyl)-4-<i>R</i>-pyrimidin-2-ones by ^1H, X HMQ(B)C with z-Gradient Selection	442
E. KOLEHMAINEN, K. LAPPALAINEN, D. SAMAN, A. HOLÝ AND J. GÜNTER	
CH_n Subspectral Editing with a Modified CAPT Sequence	445
J. OLLERENSHAW, T. T. NAKASHIMA AND R. E. D. McCLUNG	

Complete Assignment of the ^1H and ^{13}C NMR Spectra of 2-Phenyl-3H-naphtho[2,1-b][1,4]oxazine-3-one, 2-p-Methoxyphenylnaphtho[1,2-d]oxazole and 2-Phenylnaphtho[1,2,-d]oxazole. Concerted Use of One- and Two-Dimensional NMR Techniques A. MÁRQUEZ, C. SÁITZ, A. CAÑETE, H. RODRÍGUEZ AND C. JULIAN	449
<i>Reference Data</i>	
^{13}C NMR Spectral Characterization of Some Antimalarial Tricyclic Quinolone Derivatives J. N. DOMÍNGUEZ, J. E. CHARRIS, W. BASANTE AND B. MENDEZ	454
Assignment of ^1H and ^{13}C NMR Signals of Eight Apocampholenic Derivatives M. FINDEISEN, C. PREHN, L. HENNIG AND K. SCHULZE	457
^1H and ^{13}C NMR Spectroscopy of Substituted 1,2,3-Triazoles X.-W. SUN, P.-F. XU AND Z.-Y. ZHANG	459
^{17}O NMR Studies on Dialkoxy Disulfides G. CERIONI AND A. PLUMITALLO	461
^1H and ^{13}C Chemical Shifts of Some Bicyclo[4.3.0]- and Bicyclo[6.3.0]-γ-lactones and α-Carbomethoxy-γ-lactones L. LAMARQUE, M. CAMPREDON, A. MÉOU, P. BRUN AND R. FAURE	463
Papers in Press, 466	

NUMBER 7 JULY 1998

Review Article

Pulsed field gradients: a new tool for routine NMR T. PARELLA	467
Are magic angle spinning spectra indifferent to sense of spinning? S. C. SHEKAR	496
Application of HSQC to the measurement of homonuclear coupling constants $J(\text{H},\text{H})$ S. SIMOVA	505
^{17}O NMR chemical shifts of 3-(substituted methylene)-(Z)-1(3H)-isobenzofuranones: Correlations with IR stretching wavenumbers and AM1 charges E. KOLEHMAINEN, K. LAPPALAINEN, A. PERJÉSSY, P. HRNČIAR, M. LÁCOVÁ AND W. M. F. FABIAN	511
Broadband analytical decoupling in high resolution NMR spectra L. MAHL, J. C. DUPLAN AND A. BRIGUET	515
Synthesis and structural assignment of 2,4'-disubstituted benzylidenefluorenes and 4'-substituted benzylidene-1-azafluorenes R. ANNUNZIATA, V. MOLteni AND L. RAIMONDI	520
<i>Notes</i>	
Preparation and NMR characterization of new substituted benzo[a]phenazines V. BENEDETTI-DOCTORVICH, N. ESCOLA AND G. BURTON	529
^1H and ^{13}C NMR of bioactive isochromanylacetylarylhydrazone derivatives M. R. L. SANTOS, M. G. DE CARVALHO, R. BRAZ-FILHO AND E. J. BARREIRO	533
NMR assignments and conformation of taraxerenes R. B. BATES, N. E. JACOBSEN, W. N. SETZER AND C. C. STESSMAN	539
Assignment of ^{13}C NMR data of methyl (+)-hardwickiate and its derivatives M. COSTA, F. Y. FUJIWARA AND P. M. IMAMURA	542
^1H and ^{13}C NMR spectroscopy of some 4-(p-fluorobenzoyl)piperidine derivatives C. F. MASAGUER AND E. RAVIÑA	545
^1H and ^{13}C chemical shifts of some thienyl-substituted chromenes C. MOUSTROU, N. REBIERE, M. FRIGOLI, E. POTTIER, R. GUGLIEMMETTI AND R. FAURE	548
<i>Rapid Communication</i>	
Gradient submicro inverse detection: rapid acquisition of inverse-detected heteronuclear chemical shift correlation data on submicromole quantities of material G. E. MARTIN, R. C. CROUCH AND A. P. ZENS	551
Author index, 558	

NUMBER 8 AUGUST 1998

- Comparative ^{13}C relaxation study of *R* and *S* isomers of 1-acetoxyethyl ester of cefuroxime. The influence of C—H bond lengths on relaxation data consistency**
A. EICHART, A. ZIMNIAK, I. OSZCZAPOWICZ AND H. SZATYŁOWICZ 559
- NMR of Enantiomers. Part 8— ^1H , ^{13}C and ^{17}O NMR spectra of primary and secondary 1,2-distributed enamines: Configuration, conformation and intramolecular hydrogen bonding**
J.-C. ZHUO 565
- ^{17}O , ^{13}C , and ^1H NMR spectra of 1,2-dialkoxyethenes**
E. TASKINEN 573
- ^1H and ^{13}C NMR assignments and conformational analysis of some tetracyclic compounds with a bicyclo[4.2.0]octane ring system**
M. ARNÓ, M. L. MARÍN AND R. J. ZARAGOZÁ 579
- Structural and conformational study of substituted triazines by ^{15}N NMR and x-ray analysis**
M. AMM, N. PLATZER, J. GUILHEM, J. P. BOUCHET AND J. P. VOLLAND 587
- Distribution of *erythro* and *threo* forms of different types of β -O-4 structures in aspen lignin by ^{13}C NMR using the 2D INADEQUATE experiment**
M. BARDET, D. ROBERT, K. LUNDQUIST AND S. VON UNGE 597
- An ω_1 -band-selective, ω_1 -homonuclear decoupled ROESY experiment: application to the assignment of ^1H NMR spectra of difficult-to-assign peptide sequences**
A. KAERNER AND D. L. RABENSTEIN 601
- Notes*
- Four known triterpenoids isolated from three Brazilian plants: ^1H and ^{13}C chemical shift assignments**
F. P. SOARES, C. A. V. RONCONI, E. V. L. DE CUNHA, J. M. BARBOSA-FILHO, M. S. DE SILVA AND R. BRAZ-FILHO 608
- ^1H NMR spectroscopic studies of meonomycins**
L. HENNIG, M. FINDEISEN, P. WELZEL AND R. HAESSNER 615
- ^{13}C NMR studies of fluoroflavones**
A. HABSAOUI, J.-C. WALLET AND E. M. GAYDOU 621
- Papers in Press, 625

NUMBER 9 SEPTEMBER 1998

- NMR spectral analysis and molecular dynamics study of 3-quinuclidinol and 3-quinuclidinyl benzoate**
S. HEIKKINEN, M. MESILÄÄKSO AND E. RAHKAMAA 627
- Partial assignment of the ^{15}N NMR spectrum of sulfomycin-I at natural abundance**
G. E. MARTIN, F. W. CROW, B. D. KALUZNY, J. G. MARR, G. D. FATE AND T. J. GILBERTSON 635
- ^1H NMR characterization of renatured lysozyme obtained from fully reduced lysozyme under folding/oxidation conditions: a high resolution liquid NMR study at magic angle spinning**
M. DELEPIERRE, P. ROUX, A.-F. CHAFFOTTE AND M. E. GOLDBERG 645
- Changes in polypeptide conformer populations induced by the solvent environment**
F. XU AND T. A. CROSS 651
- Phosphorus-31 contact shifts as a measure of weak ligand affinities, interaction between alkali metal fluorenone radical anions and certain phosphorus(III or V) ligands**
C. G. SCRETTAS, G. A. HEROPOULOS, B. R. STEELE AND D. BETHELL 656
- Coupling of molecular motions through non-bonding interactions: ^{13}C NMR spin-lattice relaxation of a host-guest complex**
G. HILMERSSON AND J. REBEK, JR 663

Evaluation of the performance of 2D ^1H PFG absorption mode DQ spectroscopy in the analysis of chemical and biological molecules

C. DALVIT AND J.-MARC BOHLEN

670

Reference Data **^1H and ^{13}C NMR spectra of 3-substituted 4-quinolones**

Ľ. ZALIBERA, V. MILATA AND D. ILAVSKÝ

681

Announcements, 685; Papers in Press, 686

NUMBER 10 OCTOBER 1998

Isomeric *cis*-cyclohexyl-13-crown-4 ethers: a low temperature ^1H and ^{13}C NMR investigation

G. W. BUCHANAN, M. GERZAIN AND R. C. LAISTER

687

High-field NMR spectroscopic techniques combined with molecular dynamics simulations for the study of the inclusion complexes of α - and β -cyclodextrins with the cognition activator 3-phenoxy pyridine sulphate (CI-844)

M. E. AMATO, K. B. LIPKOWITZ, G. M. LOMBARDO AND G. C. PAPPALARDO

693

Pulse sequences for high resolution diffusion-ordered spectroscopy (HR-DOSY)

M. D. PELTA, H. BARJAT, G. A. MORRIS, A. L. DAVIS AND S. J. HAMMOND

706

A general building block to introduce carbon multiplicity information into multi-dimensional HSQC-type experiments

T. PARELLA, J. BELLOC, F. SÁNCHEZ-FERRANDO AND A. VIRGILI

715

 ^1H , ^{13}C and ^{17}O NMR study of substituent effects in 4-substituted phenylthiol esters

S. PERUMAL, G. VASUKI, V. VIJAYABASKAR, S. SELVARAJ AND D. W. BOYKIN

720

 ^{15}N and ^1H NMR study of ureido sugars, derivatives of 2-amino-2-deoxy- β -D-glucopyranosides

M. WEYCHERT, J. KLIMKIEWICZ, I. WAWER, B. PIEKARSKA-BARTOSZEWICZ AND A. TEMERIUŠZ

727

Pseudorotation of the sugar moiety in pyrimidine nucleosides occurs on the same time-scale as the overall tumbling: ^2H NMR relaxation time study

J. PLAVEC, P. ROSELT, A. FÖLDESI AND J. CHATTOADHYAYA

732

NMR analysis of a model pentapeptide, acetyl-Gln-Gln-Gln-Pro-Pro as an epitope of wheat allergen

E. FUKUSHI, S. TANABE, M. WATANABE AND J. KAWABATA

741

NMR linewidth, relaxation and diffusion studies of hexamethyldisilan confined in porous silica

D. W. AKSNES AND L. KIMTYS

747

Polymer additives mixture analysis using pulsed-field gradient NMR spectroscopy

D. A. JAYAWICKRAMA, C. K. LARIVE, E. F. MCCORD AND D. C. ROE

755

Configurational assignments in trifluoromethylvinyl compounds using through-space carbon-fluorine coupling constants

K. MATSUBARA, A. OBA AND Y. USUI

761

*Notes***Total NMR chemical shift assignments of baccharis oxide via 2D-INADEQUATE**

V. NURNBERG, F. Y. FUJIWARA AND A. J. MARSAIOLI

766

Assignment of the ^1H and ^{13}C NMR spectra of anthraquinone glycosides from *Rhamnus frangula*

G. W. FRANCIS, D. W. AKSNES AND Ø. HOLT

769

*Rapid Communication***NMR investigation of oligosaccharide conformation using dipolar couplings in an aqueous dilute liquid crystalline medium**

C. T. RUNDLÖF, C. LANDERSJÖ, K. LYCKNERT, A. MALINIÁK AND G. WIDMALM

773

Papers in Press, 777

¹³C NMR spectroscopy of tri- and tetracyclic quinolizidine alkaloids. Compilation and discussion B. MIKHOVA AND H. DUDDECK	779
Acetoxymercuration of alkynes. ¹⁹⁹Hg NMR spectra of addition products from arylphenylethyne M. L. DI VONA, B. FLORIS AND S. LICOCIA	797
Conditions for the measurement of quantitative off-resonance ROESY intensities T. E. MALLIAVIN, H. DESVAUX AND M.-A. DELSUC	801
¹⁸³W NMR study of alkenylcarbyne and alkenylvinylidene tungsten complexes R. J. CARBAJO, L. ZHANG AND F. LÓPEZ-ORTIZ	807
Membrane-induced conformation of [Val4, Ile7] angiotensin III by NMR and molecular dynamics methods A. B. PATEL, S. SRIVASTAVA AND R. S. PHADKE	815
ESR spin-trap study of radicals present during the thermolysis of some di-<i>tert</i>-alkyl peroxides P. G. MEKARBANE AND B. J. TABNER	826
An NMR probe with a high-pressure chamber made from composite materials P. CASTRO AND M.-A. DELSUC	833
Long-range proton-carbon coupling constants in conformational analysis of oligosaccharides T. RUNDLÖF, A. KJELLBERG, C. DAMBERG, T. NISHIDA AND G. WIDMALM	839
Predominance of resonance over polar effects on ¹H, ¹³C and ¹⁵N NMR substituent chemical shifts in <i>N</i>-arylglycines R. GAWINECKI, E. KOLEHMAINEN, Z. KUCYBAŁA, B. OŚMIAŁOWSKI AND R. KAUPPINEN	848
²H NMR lineshape analysis using automated fitting procedures based on local and quasi-global optimization techniques A. E. ALIEV AND K. D. M. HARRIS	855
<i>Notes</i>	
Sanguinarine pseudobase: re-examination of NMR assignments using gradient-enhanced spectroscopy J. DOSTÁL, R. MAREK, J. SLAVÍK, E. TÁBORSKÁ, M. POTÁČEK AND V. SKLENÁŘ	869
NMR proof of a piperidine to pyrrolidine ring contraction during nucleophilic substitution G. AMBROŽIČ, S. ČEH AND A. PETRIČ	873
<i>Reference Data</i>	
¹³C NMR assignments of some amidoximes, 1,2,4-oxa(thia)diazole-5(4<i>H</i>)-ones (thiones) and 1,2,4-oxadiazine-6(5<i>H</i>)-ones (thiones) Y. DÜRÜST	878
¹³C NMR spectral assignment of <i>N</i>-arylphthalisoimides A. GUIRADO AND A. ZAPATA	881
Papers in Press, 883	

¹H and ¹³C NMR study of some polychlorobuta-1,3-diene derivatives D. BOTTA, E. MANTICA, L. CASTELLANI, G. DOTELLI AND L. ZETTA	885
Fluorine-19 MAS and ¹H → ¹⁹F CP/MAS NMR studies of Viron fluoropolymers G. A. MONTI AND R. K. HARRIS	892
Structure of a mimic of aminoacylated tRNA determined by means of transferred NOE data M. VOGTHERR AND S. LIMMER	901
³¹P NMR analysis of phospholipids in crude extracts from different sources: improved efficiency of the solvent system N. CULEDDU, M. BOSCO, R. TOFFANIN AND P. POLLESELLO	907

Analysis of NMR data and global fold of the [Fe₄-S₄] ferredoxin I from <i>Desulfovibrio desulfuricans</i> Norway E. LEBRUN	913
¹⁷O chemical shifts and deuterium isotope effects on ¹³C chemical shifts of intramolecularly hydrogen-bonded compounds L. KOZERSKI, R. KAWĘCKI, P. KRAJEWSKI, B. KWIECIEŃ, D. W. BOYKIN, S. BOLVIG AND P. E. HANSEN	921
<i>Notes</i>	
Complete assignment of the ¹H and ¹³C NMR spectra of some lignoids from Lauraceae J. M. BARBOSA-FILHO, E. V. LEITÃO DA-CUNHA AND M. S. DA SILVA	929
Complete ¹H and ¹³C signal assignments of 5β-cardenolides isolated from <i>Acokanthera spectabilis</i> Hook F. A. G. HANNA, M. H. A. ELGAMAL, A. Z. HASSAN, H. DUDDECK, A. SIMON, J. KOVÁCS AND G. TÓTH	936
A proton and carbon NMR spectroscopic study of 5-substituted acenaphthenes G. VASUKI, S. PERUMAL, V. VIJAYABASKAR, S. SELVARAJ, M. RAMALINGAM AND P. VENUVANALINGAM	943
¹³C NMR assignments and conformational evaluation of diterpenes from <i>Croton sarcopetalus</i> Muell. C. S. DE HELUANI, C. A. N. CATALÁN, L. R. HERNÁNDEZ, E. BURGUEÑO-TAPIA AND P. JOSEPH-NATHAN	947
Two-dimensional NMR analysis of selected dequalinium analogues having aralkyl linking groups J. CAMPOS ROSA, D. GALANAKIS AND C. R. GANELLIN	951
<i>Rapid Communication</i>	
Resolution enhancement in solid state MQ-MAS experiments achieved by composite decoupling V. LACASSAGNE, P. FLORIAN, V. MONTUILLOUT, C. GERVAIS, F. BABONNEAU AND D. MASSIOT	956
Author Index, 960; Subject Index, 963; Papers in Press, 967	

SPECIAL ISSUE JUNE 1998

Dedicated to Professor John D. Roberts
on the Occasion of His 80th Birthday

Editorial: Happy birthday to you, Professor Roberts! H. GÜNTHER	S1
NMR versus molecular modelling: menthone and isomenthone W. B. SMITH AND C. AMEZCUA	S3
Unequivocal location of sites of <i>N</i>-oxidation using natural abundance long-rang ¹H, ¹⁵N GHNMQC two-dimensional NMR K. A. FARLEY, P. B. BOWMAN, J. C. BRUMFIELD, F. W. CROW, W. K. DUHOLKE, J. E. GUIDO, R. H. ROBINS, S. M. SIMS, R. F. SMITH, T. J. THAMANN, B. S. VONDERWELL AND G. E. MARTIN	S11
Two-dimensional HSQC NMR spectra obtained using a self-compensating double pulsed field gradient and processed using the filter diagonalization method V. A. MANDELSHTAM, H. HU AND A. J. SHAKA	S17
Analysis of substituent effects on ³¹P NMR chemical shifts: PX₂Y molecules A. DRANSFELD AND P. VON RAGUÉ SCHLEYER	S29
ACCORD-HMBC: a superior technique for structural elucidation R. WAGNER AND S. BERGER	S44
Chiral recognition of nitriles by ¹H NMR spectroscopy in the presence of a chiral dirhodium complex S. HAMEED, R. AHMAD AND H. DUDDECK	S47
¹³C, ¹⁷O and ⁵⁵Mn NMR studies on substituted manganese carbonyl complexes. A contribution to the mechanism of demetalation reactions D. RENTSCH, L. NILL, W. VON PHILPSBORN, D. R. SIDLER, P. J. RYBCZYNSKI AND P. DeSHONG	S54

⁷Li solid state NMR of lithium amides: structural information from ⁷Li quadrupolar coupling constants	S61
M. HARTUNG, H. GÜNTHER, J.-P. AMOUREUX AND C. FERNANDÉZ	
¹H, ¹³C and ¹⁹F NMR study of 8-fluoro- and 8,12-difluoro[2.2]metaparacyclophane and of 9-fluoro- and 9,14-difluoro-2,11-dithia[3.3]metaparacyclophane	S71
L. ERNST AND K. IBROM	
Assignment of mono- and polyunsaturated fatty acids in lipids of tissue and body fluids	S79
W. WILLKER AND D. LEIBFRITZ	
Nitrogen NMR shieldings of nitroalkanes as a structural and conformational probe	S85
M. WITANOWSKI, Z. BIEDRZYCKA, K. GRELA AND K. WEJROCH	
Ab initio IGLO studies of the conformational dependencies of ¹³C NMR chemical shifts and α-through ϵ-substituent effects in 1-substituted pentanes	S93
M. BARFIELD	
^J(¹³C, O¹H) coupling constants of intramolecularly hydrogen-bonded compounds	S104
E. V. BORISOV, W. ZHANG, S. BOLVIG AND P. E. HANSEN	
Isolation and identification by 2D NMR of two new complex saponins from <i>Michrosecium helleri</i>	S111
I. LEÓN, R. ENRÍQUES, S. McLEAN, W. F. REYNOLDS AND M. YU	
Tris(trimethylsilyl)methane as an internal ¹³C NMR chemical shift thermometer	S118
W. H. SIKORSKI, A. W. SANDERS AND H. J. REICH	
Gandolinium-based linear polymer with temperature-independent proton relaxivities: a unique interplay between the water exchange and rotational contributions	S125
E. TÓTH, I. VAN UFFELÉN, L. HELM, A. E. MERBACH, D. LADD, K. BRILEY-SÆBØ AND K. E. KELLAR	
Solid-state ¹³C chemical shift tensors in terpenes. Part I. Spectroscopic methods and chemical shift structure correlations in caryophyllene oxide	S135
J. K. HARPER, G. McGEORGE AND D. M. GRANT	
Dynamics of intramolecular hydrogen exchange in new cyclic organohydroborate zironocene complexes	S145
A. CHOW, F.-C. LIU, G. FRAENKEL AND S. SHORE	
⁷Li solid state NMR spectroscopic study of cyclopentadienyl lithium complexes	S151
D. JOHNELS, A. BOMAN AND U. EDLUND	
Trisilylamines, a ¹³C, ¹⁵N and ²⁹Si NMR study in solution—evidence for Si—Br—Si bridging	S157
B. WRACKMEYER, G. KEHR AND D. WETTINGER	
Combined use of NMR and molecular modelling calculations for the conformational analysis of the TraM headpiece	S161
T. STOCKNER, C. PLUGARIU AND H. STERK	
Fluorine NMR studies of the human carbonic anhydrase-3,5-difluorobenzenesulfonamide complex	S169
D. L. VEENSTRA AND J. T. GERIG	
Substituent chemical shifts in NMR spectroscopy. Part 11. Does C—C bond anisotropy contribute to proton chemical shifts?	S179
R. J. ABRAHAM, M. A. WARNE AND L. GRIFFITHS	
Structural studies on a Pd Allyl complex containing a sugar-based thiophosphine chiral auxiliary	S189
K. BOOG-WICK, P. S. PREGOSIN AND G. TRABESINGER	
Conformational analysis of the alkyl spacer of a dimer liquid crystal in the solid and liquid crystalline states by ¹³C—¹³C dipolar coupling	S195
R. N. SHIMIZU, N. ASAKAWA, I. ANDO, A. ABE AND H. FURUYA	
NMR relaxometric studies of Gd(III) complexes with heptadentate macrocyclic ligands	S200
S. AIME, M. BOTTA, S. GENINATTI CRICH, G. GIOVENZANA, R. PAGLIARIN, M. SISTI AND E. TERRENO	
<i>Notes</i>	
Kinetic acidities of some hydrocarbons by tritium NMR	S209
A. STREITWIESER, L. XIE, P. SPEERS AND P. G. WILLIAMS	
Phosphoric amides. Bridge effect in geminal coupling constants between ³¹P and ¹³C nuclei	S212
T. A. MODRO, A. M. MODRO, P. BERNATOWICZ, W. SCHILF AND L. STEFANIAK	
Papers in Press, S215	

